

JUNO | glossy white, green, black brush



JUNO

Distinguishing Italian design.

JUNO is the suspended luminaire with a retro shape. The set-back optic, with a high anti-glare index, and the striking colours make it a sought-after object, suitable for functional and decorative lighting.



JUNO

JUNO can also be installed on electrified track in residential, commercial and professional settings.



LUMINAIRE

Die-cast aluminium body and trim; Die-cast aluminium cable cup; Polyester powder paint resistant to UV rays; Reflector made of anodized aluminium with non-iridescent specular finishing; High quality LED sources characterized according to IES TM-30, with high color consistency <3SDCM and long useful life >60000 hours at L80; It complies with standards EN 60598-1 and EN 60598-2-1.

INSTALLATION

Suspended installation; Galvanized steel base plate; Cable cup with transparent power cable included.

STANDARD PRODUCT

Color	Wiring	CCT
<input type="checkbox"/> 24 (-24)	ON/OFF (A)	3000K (-830)

AVAILABLE OPTIONS

<input checked="" type="checkbox"/> 19 (-19)	4000K (-840)
<input checked="" type="checkbox"/> 25 (-25)	

Variants




PENDANT LUMINAIRES



UGR<16

JUNO

Code	Optic	Watt	Lumen	CRI	CCT	Class	Wiring	A	B mm	C
0237001A-830-24	medium 22°	10W	750lm	80	3000K	⊕	ON/OFF	142	156	-
0237003A-830-24	wide flood 46°	10W	1000lm	80	3000K	⊕	ON/OFF	142	156	-



LIGHTING DATA





medium 22°

H (m)	Ø (m)	LUX (max)
1,00	0,40	3935
1,50	0,60	1749
2,00	0,81	984
2,50	1,01	630
3,00	1,21	437



wide flood 46°

H (m)	Ø (m)	LUX (max)
1,00	0,84	1198
1,50	1,27	532
2,00	1,69	299
2,50	2,11	192
3,00	2,53	133



The product image in the grid represents the family.